## Montageanleitung Installation-instruction (KSH)



KSH GmbH D-32602 Vlotho (Germany)

## Typ BM32-Sleeves

- 1. Ware möglichst frostfrei lagern. Keine Montage bei Frost!
- 2. Vor Einbau auf Transportschäden achten!
- 3. Bei Kälte vorher die Filterdüsen aufwärmen, ggf. in warmen Wasser.
- 4. Gewinde auf Sauberkeit prüfen.

Gewinde in Bohrung stecken und von Hand die Mutter in Uhrzeigerrichtung aufschrauben.

Anzugsmoment ist 5 Nm .

Elektro- oder Pressluftschrauber nur mit Auslösemoment 5 Nm und max. U/Min. 430 verwenden!

5. Kappe zum Schutz von Hand eindrücken .

- 1. Nozzles have to be stored free from frost, do not install at temperatures below 0° C!
- 2. Prior to installation check whether any transport damage has occured!
- 3. In case of frost, preheat filter nozzels, use warm water if necessary!
- 4. Insert thread manually into the plate.
- 5. Screw the nut clockwise on the sleeve.

Tightening torque 5 Nm. Use electric or pneumatic screw drivers with 5 Nm torque realese only. Max rmp 430!

6. Press in the cap by hand to protect the sleeve .





